# HFMP2212 TYPE

### **FEATURE**


- 1. Shielded construction
- 2. High current and low DCR for flat wire type
- 3. Cross out as Wurth Elektronik 7443558xxxx

## Applications

1. Notebook, server application, High current power supplier

Shape and Dimension

Schematics and Land Patterns(mm)



 $A = 22.50 \pm 1.00 \text{m/m} \; ; \; B = 22.00 \pm 1.00 \text{m/m} \; ; \; C = 12.4 \text{m/m MAX}; \; D = 3.50 \pm 1.00 \text{m/m}; \; E = 5.50 \pm$ 

## Specification

P/N	L	RDC	RDC	Isat	Irms
	(µH)	(mΩ) Typical	(mΩ) Max	(A)	(A)
HFMP2212-3R3M	3.3±20%	1.70	1.87	45	29
HFMP2212-6R8M	6.8±20%	2.10	2.31	31	28.5
HFMP2212-8R2M	8.2±20%	2.70	2.97	30	25.5
HFMP2212-100M	10±20%	3.40	3.74	26	21
HFMP2212-120M	12±20%	4.30	4.73	25	19
HFMP2212-220M	22±20%	7.00	7.70	18	15
HFMP2212-330M	33±20%	13.20	14.52	15	11.5
HFMP2212-470M	47±20%	19.20	21.12	12	9.0
HFMP2212-680M	68±20%	27.30	30.03	9.5	7.5
HFMP2212-820M	82±20%	30.40	33.44	8.5	7.0

Note1. Measurement frequency of Inductance value : at 100KHz

Note2. Measurement ambient temperature of L, DCR and IDC : at  $25^{\circ}\!\mathbb{C}$ 

Note3. Isat: DC current at which the inductance drops 30%(typ) from its value without current


Note4. Irms: Average current for 50°C temperature rise from 25°C ambient(typical)

Note5. Inductance tolerance: M: ±20%

Note6. Packaging: Taping; Quantity: 120 pieces/reel

# GENERAL CHARACTERISTICS

- 1. Operating temperature range: -40 TO + 150°C (Includes temperature when the coil is heated)
- 2. External appearance: On visual inspection, the coil has no external defects.
- Terminal strength: After soldering. Between copper plate and terminals of coil. Push in two directions of X.Ywithstanding at below conditions.



- Dielectric strength: No dielectric breakdown at 100V D.C. for 1 minute between coil and core.
- Temperature characteristics: Inductance coefficient (0~2,000)x10-6/°C (-25~+80°C).
- Humidity characteristics(Moisture Resistance): Inductance deviation within ±5%, after 96 hours in 90~95% relative humidity at 40 ±2°C and 1 hour drying under normal condition.
- 8. Vibration resistance: Inductance deviation within ±5%, after vibration for 1 hour. In each of three orientations at sweep vibration (10~55~10 Hz) with 1.5mm P-P amplitudes.
- 9. Shock resistance: Inductance deviation within ±5%, after being dropped once with 981m/s2 (100G) shock attitude upon a rubber block method shock testing machine, in three different orientations.
- 10. Resistance to Soldering Heat: 260℃, 10 seconds(See attached recommend reflow)
- 11. Storage environment: Storage condition: Temperature Range:  $10^{\circ}$ C ~  $35^{\circ}$ C (Generally:  $21^{\circ}$ C ~  $31^{\circ}$ C) , Humidity Range: 50% ~ 80% RH (Generally: 65% ~ 75%); Transportation condition: Temperature Range: -35°C ~ 85°C , Humidity Range: 50% ~ 95% RH
- 12. Use components within 12 months. If 12 months or more have elapsed, check solderability before use.
- 13. Reflow profile recommend:

#### Lead-free heat endurance test

### Lead-free the recommended reflow condition

