BW1390 TYPE

FEATURE


- 1. Shielded construction
- 2. High current and low DCR for flat wire type
- 3. Cross out as Coilcraft SER1390 series

Applications

1. Notebook, server application, High current power supplier

Shape and Dimension

Schematics and Land Patterns(mm)



A=13.10m/m Max ; B=13.50m/m Max ; C=9.00m/m MAX; D=7.00 \pm 0.50m/m; E=2.50 \pm 0.50m/m F=2.00 \pm 0.50m/m ; E2=2.50 \pm 0.50m/m

Specification

P/N	L	RDC	RDC	Isat	Irms
	(µH)	(mΩ) Typical	(mΩ) Max	(A)	(A)
BW1390-100M	10±20%	13.7	15.0	13.16	9.2
BW1390-150M	15±20%	13.7	15.0	8.6	9.2
BW1390-220M	22±20%	21.0	23.1	7.36	7.7
BW1390-330M	33±20%	21.0	23.1	4.76	7.7
BW1390-470M	47±20%	21.0	23.1	3.2	7.7

Note1. Measurement frequency of Inductance value: at 100KHz

Note2. Measurement ambient temperature of L, DCR and IDC : at 25°C

Note3. Isat: DC current at which the inductance drops 30%(typ) from its value without current


Note4. Irms: Average current for 40°C temperature rise from 25°C ambient(typical)

Note5. Inductance tolerance: M: ±20%

Note6. Packaging: Taping; Quantity: 300 pieces/reel

GENERAL CHARACTERISTICS

- 1. Operating temperature range: -40 TO + 125°C (Includes temperature when the coil is heated)
- 2. External appearance: On visual inspection, the coil has no external defects.
- 3. Terminal strength: After soldering. Between copper plate and terminals of coil. Push in two directions of X.Ywithstanding at below conditions.



- Dielectric strength: No dielectric breakdown at 100V D.C. for 1 minute between coil and core.
- Temperature characteristics: Inductance coefficient (0~2,000)x10-6/°C (-25~+80°C).
- Humidity characteristics(Moisture Resistance): Inductance deviation within ±5%, after 96 hours in 90~95% relative humidity at 40 ±2°C and 1 hour drying under normal condition.
- 8. Vibration resistance: Inductance deviation within ±5%, after vibration for 1 hour. In each of three orientations at sweep vibration (10~55~10 Hz) with 1.5mm P-P amplitudes.
- 9. Shock resistance: Inductance deviation within ±5%, after being dropped once with 981m/s2 (100G) shock attitude upon a rubber block method shock testing machine, in three different orientations.
- Resistance to Soldering Heat: 260℃, 10 seconds(See attached recommend reflow)
- 11. Storage environment: Storage condition: Temperature Range: 10° C ~ 35° C (Generally: 21° C ~ 31° C) , Humidity Range: 50% ~ 80% RH (Generally: 65% ~ 75%); Transportation condition: Temperature Range: -35°C ~ 85°C , Humidity Range: 50% ~ 95% RH
- 12. Use components within 6 months. If 6 months or more have elapsed, check solderability before use.
- 13. Reflow profile recommend:

Lead-free heat endurance test

Lead-free the recommended reflow condition

